


TENANT IMPROVEMENT
PAD 5B - SUITES 101 AND 102
PASEO LINDO SHOPPING CENTER
NEC OF ARIZONA AVE. AND OCOTILLO RD.
CHANDLER, ARIZONA 85248

LEGAL DESCRIPTION	PROJECT DATA	SITE DATA	PROJECT DIRECTORY	SHEET INDEX																																																																																					
LOT 5B, OF PASEO LINDO PHASE IV, ACCORDING TO BOOK 1458, PAGE 48, RECORDS OF MARICOPA COUNTY, ARIZONA. EXCEPT ALL MINERALS, COAL, CARBONS, HYDROCARBONS, OIL, GAS, CHEMICAL ELEMENTS AND COMPOUNDS, WHETHER IN SOLID, LIQUID OR GASEOUS FORM, AND ALL STEAM AND OTHER FORMS OF THERMAL ENERGY, UNDER SAID LAND AS RESERVED IN SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NO. 2007-0959397, RECORDS OF MARICOPA COUNTY, ARIZONA.	THE PROPOSED PROJECT WILL BE A TENANT IMPROVEMENT FOR LOT 5B AT PASEO LINDO SHOPPING CENTER - NORTHEAST CORNER OF ARIZONA AVE. AND OCOTILLO ROAD IN CHANDLER, AZ. THE TENANT IMPROVEMENT IS FOR SUITES 101 AND 102 WITH A TOTAL SQUARE FOOTAGE OF 3,815 S.F. THE NEW TENANT IS A MATTRESS RETAIL COMPANY. THE NEW TENANT WILL ALSO PROVIDE A STORAGE AREA OF 118 S.F.; AND ONE ADA RESTROOM OF 74 S.F; AND A MERCHANDISING AREA OF 3,623 S.F. THE PROJECT WILL BE BUILT IN COMPLIANCE WITH ALL REGULATIONS ADOPTED BY THE CITY AND ITS JURISDICTION.	<table><tr><td>PARCEL #</td><td>303-85-814</td></tr><tr><td>ZONING DESIGNATION</td><td>PAD</td></tr><tr><td>ZONING CASE (IF APPLICABLE)</td><td>N/A</td></tr><tr><td>JURISDICTION</td><td>CHANDLER</td></tr><tr><td>OCCUPANCY</td><td>M - MERCANTILE</td></tr><tr><td>CONSTRUCTION TYPE</td><td>TYPE V-B FULLY SPRINKLERED</td></tr><tr><td>PROPOSED USE</td><td>COMMERCIAL</td></tr><tr><td>TOTAL SITE AREA</td><td>51,941 S.F. / 1.192 ACRES</td></tr><tr><td>AREA OF WORK</td><td>SUITES 101 AND 102</td></tr><tr><td></td><td>3,815 S.F.</td></tr><tr><td>ALLOWABLE BUILDING HEIGHT</td><td>60'-0"</td></tr><tr><td>EXISTING BUILDING HEIGHT</td><td>27'-8"</td></tr></table>	PARCEL #	303-85-814	ZONING DESIGNATION	PAD	ZONING CASE (IF APPLICABLE)	N/A	JURISDICTION	CHANDLER	OCCUPANCY	M - MERCANTILE	CONSTRUCTION TYPE	TYPE V-B FULLY SPRINKLERED	PROPOSED USE	COMMERCIAL	TOTAL SITE AREA	51,941 S.F. / 1.192 ACRES	AREA OF WORK	SUITES 101 AND 102		3,815 S.F.	ALLOWABLE BUILDING HEIGHT	60'-0"	EXISTING BUILDING HEIGHT	27'-8"	OWNER PASEO LINDO SHOPPING CENTER, LLC 1066 IRONSHOE CT WALNUT, CA 91789 CONTACT: GEORGE YAO DEVELOPER: LOGOS BUILDERS SOUTHWEST, LLC 10645 N. TATUM BLVD. SUITE #200 PHOENIX, AZ 85028 CONTACT: JOHN CAVNESS PHONE: 602-265-0321 ARCHITECT: RKA ARCHITECTS, INC. 2233 EAST THOMAS ROAD PHOENIX, AZ 85016 CONTACT: RANDY HAISLET PHONE: 602-955-3900 EMAIL: rhailet@rkaa.com MECHANICAL/PLUMBING ENGINEER: MECH DESIGNS 451 NORTH DEAN AVENUE CHANDLER, AZ 85226 CONTACT: JUSTIN GRIMMETT (M/P) PHONE: (602) 773-5701 EMAIL: justin@mechdesigns.com ELECTRICAL ENGINEER: HAWKINS DESIGN GROUP 1140 WEST HARWELL ROAD GILBERT, AZ 85233 CONTACT: SCOTT ADLER PHONE: (480) 813-9000 EMAIL: scott@hawkinsdg.com	GENERAL T1.0 COVER SHEET T1.1 ADA GENERAL NOTES T1.2 ADA GENERAL NOTES T1.3 EGRESS PLAN SITE PLAN AS1.1 ENLARGED SITE PLAN ARCHITECTURAL A1.0 FLOOR PLAN A1.1 ENLARGED RESTROOM PLAN A1.2 SLAB PLAN A1.3 FINISH PLAN A2.0 REFLECTED CEILING PLAN A3.0 ROOF PLAN A7.0 DOOR SCHEDULE AND DETAILS A8.0 DETAILS A9.0 SPECIFICATION A9.1 SPECIFICATION A9.2 SPECIFICATION A9.3 SPECIFICATION A9.4 SPECIFICATION MECHANICAL M100 MECHANICAL FLOOR PLAN M200 MECHANICAL NOTES AND DETAILS PLUMBING P100 PLUMBING FLOOR PLAN P200 PLUMBING NOTES AND DIAGRAMS ELECTRICAL E0.0 ELECTRICAL SYMBOLS AND SPECIFICATIONS E1.0 ELECTRICAL DEMO PLAN E2.0 ELECTRICAL POWER PLAN E3.0 ELECTRICAL LIGHTING PLAN E4.0 ELECTRICAL ONE-LINE DIAGRAM																																																													
PARCEL #	303-85-814																																																																																								
ZONING DESIGNATION	PAD																																																																																								
ZONING CASE (IF APPLICABLE)	N/A																																																																																								
JURISDICTION	CHANDLER																																																																																								
OCCUPANCY	M - MERCANTILE																																																																																								
CONSTRUCTION TYPE	TYPE V-B FULLY SPRINKLERED																																																																																								
PROPOSED USE	COMMERCIAL																																																																																								
TOTAL SITE AREA	51,941 S.F. / 1.192 ACRES																																																																																								
AREA OF WORK	SUITES 101 AND 102																																																																																								
	3,815 S.F.																																																																																								
ALLOWABLE BUILDING HEIGHT	60'-0"																																																																																								
EXISTING BUILDING HEIGHT	27'-8"																																																																																								
	<table><tr><th colspan="4">CODE ANALYSIS</th></tr><tr><th colspan="4">NEW BUILDING</th></tr><tr><td>CLASSIFICATION TYPE: SECTION 309.1</td><td colspan="3">M - MERCANTILE</td></tr><tr><td>CONSTRUCTION TYPE: TABLE 504.3</td><td>TYPE V-B FULLY SPRINKLERED</td><td>STRUCTURE</td><td>WOOD FRAMED</td></tr><tr><td>ALLOWABLE HEIGHT: TABLE 504.3</td><td>60'-0"</td><td>PROPOSED HGT.</td><td>1 STORY - 27'-8"</td></tr><tr><td>ALLOWABLE AREA: TABLE 506.2</td><td>36,000 S.F.</td><td>ACTUAL AREA</td><td>3,815 S.F.</td></tr><tr><td>OCCUPANCY TYPE: (NON-SEPARATED)</td><td colspan="3">M: MERCANTILE</td></tr><tr><td>FIRE SPRINKLER REQ</td><td colspan="3">YES PER NFPA 13</td></tr><tr><td>FIRE ALARM</td><td colspan="3">YES</td></tr><tr><td>FIRE EXTINGUISHERS</td><td colspan="3">2A-10B:C PER 3000 SF OF FLOOR AREA. MAX TRAVEL DISTANCE OF 75' TO F.E.</td></tr><tr><td>PANIC HARDWARE</td><td colspan="3">YES</td></tr><tr><th colspan="4">OCCUPANT LOAD</th></tr><tr><td colspan="4">2021 INTERNATIONAL BUILDING CODE CHAPTER 10 - MEANS OF EGRESS</td></tr><tr><td>MERCANTILE</td><td colspan="3">1 / 60</td></tr><tr><td></td><td colspan="3">3,815 S.F. / 60</td></tr><tr><td>TOTAL OCCUPANTS</td><td colspan="3">64 OCCUPANTS</td></tr></table>	CODE ANALYSIS				NEW BUILDING				CLASSIFICATION TYPE: SECTION 309.1	M - MERCANTILE			CONSTRUCTION TYPE: TABLE 504.3	TYPE V-B FULLY SPRINKLERED	STRUCTURE	WOOD FRAMED	ALLOWABLE HEIGHT: TABLE 504.3	60'-0"	PROPOSED HGT.	1 STORY - 27'-8"	ALLOWABLE AREA: TABLE 506.2	36,000 S.F.	ACTUAL AREA	3,815 S.F.	OCCUPANCY TYPE: (NON-SEPARATED)	M: MERCANTILE			FIRE SPRINKLER REQ	YES PER NFPA 13			FIRE ALARM	YES			FIRE EXTINGUISHERS	2A-10B:C PER 3000 SF OF FLOOR AREA. MAX TRAVEL DISTANCE OF 75' TO F.E.			PANIC HARDWARE	YES			OCCUPANT LOAD				2021 INTERNATIONAL BUILDING CODE CHAPTER 10 - MEANS OF EGRESS				MERCANTILE	1 / 60				3,815 S.F. / 60			TOTAL OCCUPANTS	64 OCCUPANTS			<table><tr><th colspan="2">APPLICABLE CODES</th></tr><tr><td>2024</td><td>IBC INTERNATIONAL BUILDING CODE</td></tr><tr><td>2024</td><td>IFC INTERNATIONAL FIRE CODE</td></tr><tr><td>2023</td><td>NEC NATIONAL ELECTRICAL CODE</td></tr><tr><td>2024</td><td>IPC INTERNATIONAL PLUMBING CODE</td></tr><tr><td>2024</td><td>IMC INTERNATIONAL MECHANICAL CODE</td></tr><tr><td>2024</td><td>IFGC INTERNATIONAL FUEL GAS CODE</td></tr><tr><td>2024</td><td>IECC INTERNATIONAL ENERGY CONSERVATION CODE</td></tr><tr><td>2024</td><td>ANSI A 117.1</td></tr><tr><td colspan="2">THE CODE OF THE CITY OF CHANDLER, ARIZONA</td></tr></table>	APPLICABLE CODES		2024	IBC INTERNATIONAL BUILDING CODE	2024	IFC INTERNATIONAL FIRE CODE	2023	NEC NATIONAL ELECTRICAL CODE	2024	IPC INTERNATIONAL PLUMBING CODE	2024	IMC INTERNATIONAL MECHANICAL CODE	2024	IFGC INTERNATIONAL FUEL GAS CODE	2024	IECC INTERNATIONAL ENERGY CONSERVATION CODE	2024	ANSI A 117.1	THE CODE OF THE CITY OF CHANDLER, ARIZONA				
CODE ANALYSIS																																																																																									
NEW BUILDING																																																																																									
CLASSIFICATION TYPE: SECTION 309.1	M - MERCANTILE																																																																																								
CONSTRUCTION TYPE: TABLE 504.3	TYPE V-B FULLY SPRINKLERED	STRUCTURE	WOOD FRAMED																																																																																						
ALLOWABLE HEIGHT: TABLE 504.3	60'-0"	PROPOSED HGT.	1 STORY - 27'-8"																																																																																						
ALLOWABLE AREA: TABLE 506.2	36,000 S.F.	ACTUAL AREA	3,815 S.F.																																																																																						
OCCUPANCY TYPE: (NON-SEPARATED)	M: MERCANTILE																																																																																								
FIRE SPRINKLER REQ	YES PER NFPA 13																																																																																								
FIRE ALARM	YES																																																																																								
FIRE EXTINGUISHERS	2A-10B:C PER 3000 SF OF FLOOR AREA. MAX TRAVEL DISTANCE OF 75' TO F.E.																																																																																								
PANIC HARDWARE	YES																																																																																								
OCCUPANT LOAD																																																																																									
2021 INTERNATIONAL BUILDING CODE CHAPTER 10 - MEANS OF EGRESS																																																																																									
MERCANTILE	1 / 60																																																																																								
	3,815 S.F. / 60																																																																																								
TOTAL OCCUPANTS	64 OCCUPANTS																																																																																								
APPLICABLE CODES																																																																																									
2024	IBC INTERNATIONAL BUILDING CODE																																																																																								
2024	IFC INTERNATIONAL FIRE CODE																																																																																								
2023	NEC NATIONAL ELECTRICAL CODE																																																																																								
2024	IPC INTERNATIONAL PLUMBING CODE																																																																																								
2024	IMC INTERNATIONAL MECHANICAL CODE																																																																																								
2024	IFGC INTERNATIONAL FUEL GAS CODE																																																																																								
2024	IECC INTERNATIONAL ENERGY CONSERVATION CODE																																																																																								
2024	ANSI A 117.1																																																																																								
THE CODE OF THE CITY OF CHANDLER, ARIZONA																																																																																									
		<table><tr><th colspan="2">PLUMBING REQUIREMENT</th></tr><tr><td colspan="2">2021 INTERNATIONAL PLUMBING CODE CHAPTER 4 - SECTION 403 MINIMUM PLUMBING FACILITIES TOTAL NUMBER OF OCCUPANTS PER 2021 IBC = 64 OCCUPANTS</td></tr><tr><td>DRINKING FOUNTAIN</td><td></td></tr><tr><td>REQUIRED</td><td>1 / 1,000 = 1 DRINKING FOUNTAIN</td></tr><tr><td>PROVIDED</td><td>1 DRINKING FOUNTAIN</td></tr><tr><td>SERVICE SINK</td><td></td></tr><tr><td>REQUIRED</td><td>1 SERVICE SINK</td></tr><tr><td>PROVIDED</td><td></td></tr><tr><td>MALE = 32 OCCUPANTS</td><td></td></tr><tr><td>WATER CLOSET</td><td></td></tr><tr><td>REQUIRED</td><td>1 / 500</td></tr><tr><td></td><td>32 / 500 = 1 WATER CLOSET</td></tr><tr><td>PROVIDED</td><td>1 WATER CLOSET</td></tr><tr><td>URINAL</td><td></td></tr><tr><td>REQUIRED</td><td>1 URINAL</td></tr><tr><td>PROVIDED</td><td></td></tr><tr><td>LAVATORIES</td><td></td></tr><tr><td>REQUIRED</td><td>1 / 750</td></tr><tr><td></td><td>32 / 750 = 1 LAVATORY</td></tr><tr><td>PROVIDED</td><td>1 LAVATORY</td></tr><tr><td>FEMALE = 32 OCCUPANTS</td><td></td></tr><tr><td>WATER CLOSET</td><td></td></tr><tr><td>REQUIRED</td><td>1 / 500</td></tr><tr><td></td><td>32 / 500 = 1 WATER CLOSET</td></tr><tr><td>PROVIDED</td><td>1 WATER CLOSET</td></tr><tr><td>LAVATORIES</td><td></td></tr><tr><td>REQUIRED</td><td>1 / 750</td></tr><tr><td></td><td>32 / 750 = 1 LAVATORY</td></tr><tr><td>PROVIDED</td><td>1 LAVATORY</td></tr></table>	PLUMBING REQUIREMENT		2021 INTERNATIONAL PLUMBING CODE CHAPTER 4 - SECTION 403 MINIMUM PLUMBING FACILITIES TOTAL NUMBER OF OCCUPANTS PER 2021 IBC = 64 OCCUPANTS		DRINKING FOUNTAIN		REQUIRED	1 / 1,000 = 1 DRINKING FOUNTAIN	PROVIDED	1 DRINKING FOUNTAIN	SERVICE SINK		REQUIRED	1 SERVICE SINK	PROVIDED		MALE = 32 OCCUPANTS		WATER CLOSET		REQUIRED	1 / 500		32 / 500 = 1 WATER CLOSET	PROVIDED	1 WATER CLOSET	URINAL		REQUIRED	1 URINAL	PROVIDED		LAVATORIES		REQUIRED	1 / 750		32 / 750 = 1 LAVATORY	PROVIDED	1 LAVATORY	FEMALE = 32 OCCUPANTS		WATER CLOSET		REQUIRED	1 / 500		32 / 500 = 1 WATER CLOSET	PROVIDED	1 WATER CLOSET	LAVATORIES		REQUIRED	1 / 750		32 / 750 = 1 LAVATORY	PROVIDED	1 LAVATORY																													
PLUMBING REQUIREMENT																																																																																									
2021 INTERNATIONAL PLUMBING CODE CHAPTER 4 - SECTION 403 MINIMUM PLUMBING FACILITIES TOTAL NUMBER OF OCCUPANTS PER 2021 IBC = 64 OCCUPANTS																																																																																									
DRINKING FOUNTAIN																																																																																									
REQUIRED	1 / 1,000 = 1 DRINKING FOUNTAIN																																																																																								
PROVIDED	1 DRINKING FOUNTAIN																																																																																								
SERVICE SINK																																																																																									
REQUIRED	1 SERVICE SINK																																																																																								
PROVIDED																																																																																									
MALE = 32 OCCUPANTS																																																																																									
WATER CLOSET																																																																																									
REQUIRED	1 / 500																																																																																								
	32 / 500 = 1 WATER CLOSET																																																																																								
PROVIDED	1 WATER CLOSET																																																																																								
URINAL																																																																																									
REQUIRED	1 URINAL																																																																																								
PROVIDED																																																																																									
LAVATORIES																																																																																									
REQUIRED	1 / 750																																																																																								
	32 / 750 = 1 LAVATORY																																																																																								
PROVIDED	1 LAVATORY																																																																																								
FEMALE = 32 OCCUPANTS																																																																																									
WATER CLOSET																																																																																									
REQUIRED	1 / 500																																																																																								
	32 / 500 = 1 WATER CLOSET																																																																																								
PROVIDED	1 WATER CLOSET																																																																																								
LAVATORIES																																																																																									
REQUIRED	1 / 750																																																																																								
	32 / 750 = 1 LAVATORY																																																																																								
PROVIDED	1 LAVATORY																																																																																								
			MECHANICAL/PLUMBING ENGINEER: MECH DESIGNS 451 NORTH DEAN AVENUE CHANDLER, AZ 85226 CONTACT: JUSTIN GRIMMETT (M/P) PHONE: (602) 773-5701 EMAIL: justin@mechdesigns.com																																																																																						
			ELECTRICAL ENGINEER: HAWKINS DESIGN GROUP 1140 WEST HARWELL ROAD GILBERT, AZ 85233 CONTACT: SCOTT ADLER PHONE: (480) 813-9000 EMAIL: scott@hawkinsdg.com																																																																																						
				VICINITY MAP SCALE: N.T.S. COVER SHEET																																																																																					



RCAA
ARCHITECTS
2233 EAST THOMAS ROAD, PHOENIX, ARIZONA 85016
602-955-3900



DATE : 05-08-26

BROOKLYN BEDDING
PAD 5B - SUITES 101 AND 102 AT PASEO LINDO SHOPPING CENTER
NEC OF ARIZONA AVE AND OCOTILLO RD.
CHANDLER, AZ

COPYRIGHT 2023. ALL RIGHTS RESERVED. THIS DRAWING IS AN INSTRUMENT OF SERVICE. IT IS THE PROPERTY OF RKA ARCHITECTS, INC. AND MAY NOT BE REPRODUCED OR REPRODUCTION WITHOUT WRITTEN PERMISSION OF THE CORPORATION.

design by: RH
drawn by: MM
checked by: RH

T1.0
project #: 26102.00