

TENANT IMPROVEMENT

PAD 5B - SUITE 1


PASEO LINDO SHOPPING CENTER

NEC OF ARIZONA AVE. AND OCOTILLO RD.

CHANDLER, ARIZONA 85248



RKAA
ARCHITECTS
2233 EAST THOMAS ROAD, PHOENIX, ARIZONA 85016
602-955-3900
rkaa.com



DATE : 05-08-26

LEGAL DESCRIPTION	PROJECT DATA	SITE DATA	PROJECT DIRECTORY	SHEET INDEX																																																																																																																																																																																																																											
LOT 5B, OF PASEO LINDO PHASE IV, ACCORDING TO BOOK 1458, PAGE 48, RECORDS OF MARICOPA COUNTY, ARIZONA. EXCEPT ALL MINERALS, COAL, CARBONS, HYDROCARBONS, OIL, GAS, CHEMICAL ELEMENTS AND COMPOUNDS, WHETHER IN SOLID, LIQUID OR GASEOUS FORM, AND ALL STEAM AND OTHER FORMS OF THERMAL ENERGY, UNDER SAID LAND AS RESERVED IN SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NO. 2007-0959397, RECORDS OF MARICOPA COUNTY, ARIZONA.	THE PROPOSED PROJECT WILL BE A TENANT IMPROVEMENT FOR LOT 5B AT PASEO LINDO SHOPPING CENTER - NORTHEAST CORNER OF ARIZONA AVE. AND OCOTILLO ROAD IN CHANDLER, AZ. THE TENANT IMPROVEMENT IS FOR SUITE 1 WITH A TOTAL SQUARE FOOTAGE OF 3,815 S.F. THE NEW TENANT IS A MATTRESS RETAIL COMPANY. THE NEW TENANT WILL ALSO PROVIDE A STORAGE AREA OF 118 S.F.; AND ONE ADA RESTROOM OF 74 S.F; AND A MERCHANDISING AREA OF 3,623 S.F. THE PROJECT WILL BE BUILT IN COMPLIANCE WITH ALL REGULATIONS ADOPTED BY THE CITY AND ITS JURISDICTION.	<table><tr><td>PARCEL #</td><td>303-85-814</td></tr><tr><td>ZONING DESIGNATION</td><td>PAD</td></tr><tr><td>ZONING CASE (IF APPLICABLE)</td><td>N/A</td></tr><tr><td>JURISDICTION</td><td>CHANDLER</td></tr><tr><td>OCCUPANCY</td><td>M - MERCANTILE</td></tr><tr><td>CONSTRUCTION TYPE</td><td>TYPE V-B FULLY SPRINKLERED</td></tr><tr><td>PROPOSED USE</td><td>COMMERCIAL</td></tr><tr><td>TOTAL SITE AREA</td><td>51,941 S.F. / 1.192 ACRES</td></tr><tr><td>AREA OF WORK</td><td>SUITE 1</td></tr><tr><td></td><td>3,815 S.F.</td></tr><tr><td>ALLOWABLE BUILDING HEIGHT</td><td>60'-0"</td></tr><tr><td>EXISTING BUILDING HEIGHT</td><td>27'-8"</td></tr></table>	PARCEL #	303-85-814	ZONING DESIGNATION	PAD	ZONING CASE (IF APPLICABLE)	N/A	JURISDICTION	CHANDLER	OCCUPANCY	M - MERCANTILE	CONSTRUCTION TYPE	TYPE V-B FULLY SPRINKLERED	PROPOSED USE	COMMERCIAL	TOTAL SITE AREA	51,941 S.F. / 1.192 ACRES	AREA OF WORK	SUITE 1		3,815 S.F.	ALLOWABLE BUILDING HEIGHT	60'-0"	EXISTING BUILDING HEIGHT	27'-8"	OWNER PASEO LINDO SHOPPING CENTER, LLC 1066 IRONSHOE CT WALNUT, CA 91789 CONTACT: GEORGE YAO DEVELOPER: LOGOS BUILDERS SOUTHWEST, LLC 10645 N. TATUM BLVD. SUITE #200 PHOENIX, AZ 85028 CONTACT: JOHN CAVNESS PHONE: 602-265-0321 ARCHITECT: RKAA ARCHITECTS, INC. 2233 EAST THOMAS ROAD PHOENIX, AZ 85016 CONTACT: RANDY HAISLET PHONE: 602-955-3900 EMAIL: rhailet@rkaa.com MECHANICAL/PLUMBING ENGINEER: MECH DESIGNS 451 NORTH DEAN AVENUE CHANDLER, AZ 85226 CONTACT: JUSTIN GRIMMETT (M/P) PHONE: (602) 773-5701 EMAIL: justin@mechdesigns.com ELECTRICAL ENGINEER: HAWKINS DESIGN GROUP 1140 WEST HARWELL ROAD GILBERT, AZ 85233 CONTACT: SCOTT ADLER PHONE: (480) 813-9000 EMAIL: scott@hawkinsdgm.com	GENERAL T1.0 COVER SHEET T1.1 ADA GENERAL NOTES T1.2 ADA GENERAL NOTES T1.3 EGRESS PLAN SITE PLAN AS1.1 ENLARGED SITE PLAN ARCHITECTURAL A1.0 FLOOR PLAN A1.1 ENLARGED RESTROOM PLAN A1.2 SLAB PLAN A1.3 FINISH PLAN A2.0 REFLECTED CEILING PLAN A3.0 ROOF PLAN A7.0 DOOR SCHEDULE AND DETAILS A8.0 DETAILS A8.1 DETAILS A9.0 SPECIFICATION A9.1 SPECIFICATION A9.2 SPECIFICATION A9.3 SPECIFICATION A9.4 SPECIFICATION MECHANICAL M100 MECHANICAL FLOOR PLAN M200 MECHANICAL NOTES AND DETAILS PLUMBING P100 PLUMBING FLOOR PLAN P200 PLUMBING NOTES AND DIAGRAMS ELECTRICAL E0.0 ELECTRICAL SYMBOLS AND SPECIFICATIONS E1.0 ELECTRICAL DEMO PLAN E2.0 ELECTRICAL POWER PLAN E3.0 ELECTRICAL LIGHTING PLAN E4.0 ELECTRICAL ONE-LINE DIAGRAM																																																																																																																																																																																																			
PARCEL #	303-85-814																																																																																																																																																																																																																														
ZONING DESIGNATION	PAD																																																																																																																																																																																																																														
ZONING CASE (IF APPLICABLE)	N/A																																																																																																																																																																																																																														
JURISDICTION	CHANDLER																																																																																																																																																																																																																														
OCCUPANCY	M - MERCANTILE																																																																																																																																																																																																																														
CONSTRUCTION TYPE	TYPE V-B FULLY SPRINKLERED																																																																																																																																																																																																																														
PROPOSED USE	COMMERCIAL																																																																																																																																																																																																																														
TOTAL SITE AREA	51,941 S.F. / 1.192 ACRES																																																																																																																																																																																																																														
AREA OF WORK	SUITE 1																																																																																																																																																																																																																														
	3,815 S.F.																																																																																																																																																																																																																														
ALLOWABLE BUILDING HEIGHT	60'-0"																																																																																																																																																																																																																														
EXISTING BUILDING HEIGHT	27'-8"																																																																																																																																																																																																																														
	<table><tr><th colspan="4">CODE ANALYSIS</th></tr><tr><th colspan="4">NEW BUILDING</th></tr><tr><td>CLASSIFICATION TYPE: SECTION 309.1</td><td colspan="3">M - MERCANTILE</td></tr><tr><td>CONSTRUCTION TYPE: TABLE 504.3</td><td>TYPE V-B FULLY SPRINKLERED</td><td>STRUCTURE</td><td>WOOD FRAMED</td></tr><tr><td>ALLOWABLE HEIGHT: TABLE 504.3</td><td>60'-0"</td><td>PROPOSED HGT.</td><td>1 STORY - 27'-8"</td></tr><tr><td>ALLOWABLE AREA: TABLE 506.2</td><td>36,000 S.F.</td><td>ACTUAL AREA</td><td>3,815 S.F.</td></tr><tr><td>OCCUPANCY TYPE: (NON-SEPARATED)</td><td colspan="3">M: MERCANTILE</td></tr><tr><td>FIRE SPRINKLER REQ</td><td colspan="3">YES PER NFPA 13</td></tr><tr><td>FIRE ALARM</td><td colspan="3">YES</td></tr><tr><td>FIRE EXTINGUISHERS</td><td colspan="3">2A-10B:C PER 3000 SF OF FLOOR AREA. MAX TRAVEL DISTANCE OF 75' TO F.E.</td></tr><tr><td>PANIC HARDWARE</td><td colspan="3">YES</td></tr><tr><th colspan="4">OCCUPANT LOAD</th></tr><tr><td colspan="4">2021 INTERNATIONAL BUILDING CODE CHAPTER 10 - MEANS OF EGRESS</td></tr><tr><td>MERCANTILE</td><td colspan="3">1 / 60</td></tr><tr><td></td><td colspan="3">3,815 S.F. / 60</td></tr><tr><td>TOTAL OCCUPANTS</td><td colspan="3">64 OCCUPANTS</td></tr></table>	CODE ANALYSIS				NEW BUILDING				CLASSIFICATION TYPE: SECTION 309.1	M - MERCANTILE			CONSTRUCTION TYPE: TABLE 504.3	TYPE V-B FULLY SPRINKLERED	STRUCTURE	WOOD FRAMED	ALLOWABLE HEIGHT: TABLE 504.3	60'-0"	PROPOSED HGT.	1 STORY - 27'-8"	ALLOWABLE AREA: TABLE 506.2	36,000 S.F.	ACTUAL AREA	3,815 S.F.	OCCUPANCY TYPE: (NON-SEPARATED)	M: MERCANTILE			FIRE SPRINKLER REQ	YES PER NFPA 13			FIRE ALARM	YES			FIRE EXTINGUISHERS	2A-10B:C PER 3000 SF OF FLOOR AREA. MAX TRAVEL DISTANCE OF 75' TO F.E.			PANIC HARDWARE	YES			OCCUPANT LOAD				2021 INTERNATIONAL BUILDING CODE CHAPTER 10 - MEANS OF EGRESS				MERCANTILE	1 / 60				3,815 S.F. / 60			TOTAL OCCUPANTS	64 OCCUPANTS			<table><tr><th colspan="4">APPLICABLE CODES</th></tr><tr><td>2024</td><td>IBC</td><td colspan="2">INTERNATIONAL BUILDING CODE</td></tr><tr><td>2024</td><td>IFC</td><td colspan="2">INTERNATIONAL FIRE CODE</td></tr><tr><td>2023</td><td>NEC</td><td colspan="2">NATIONAL ELECTRICAL CODE</td></tr><tr><td>2024</td><td>IPC</td><td colspan="2">INTERNATIONAL PLUMBING CODE</td></tr><tr><td>2024</td><td>IMC</td><td colspan="2">INTERNATIONAL MECHANICAL CODE</td></tr><tr><td>2024</td><td>IFGC</td><td colspan="2">INTERNATIONAL FUEL GAS CODE</td></tr><tr><td>2024</td><td>IECC</td><td colspan="2">INTERNATIONAL ENERGY CONSERVATION CODE</td></tr><tr><td>2024</td><td colspan="3">ANSI A 117.1</td></tr><tr><td colspan="4">THE CODE OF THE CITY OF CHANDLER, ARIZONA</td></tr><tr><th colspan="4">PLUMBING REQUIREMENT</th></tr><tr><td colspan="4">2024 INTERNATIONAL PLUMBING CODE CHAPTER 4 - SECTION 403 MINIMUM PLUMBING FACILITIES TOTAL NUMBER OF OCCUPANTS PER 2024 IBC = 64 OCCUPANTS</td></tr><tr><td colspan="4">DRINKING FOUNTAIN</td></tr><tr><td>REQUIRED</td><td colspan="3">1 / 1,000 = 1 DRINKING FOUNTAIN</td></tr><tr><td>PROVIDED</td><td colspan="3">1 DRINKING FOUNTAIN</td></tr><tr><td colspan="4">SERVICE SINK</td></tr><tr><td>REQUIRED</td><td colspan="3">1 SERVICE SINK</td></tr><tr><td>PROVIDED</td><td colspan="3">1 SERVICE SINK AT STORAGE (ROOM 101)</td></tr><tr><td colspan="4">MALE = 32 OCCUPANTS</td></tr><tr><td colspan="4">WATER CLOSET</td></tr><tr><td>REQUIRED</td><td colspan="3">1 / 500</td></tr><tr><td></td><td colspan="3">32 / 500 = 1 WATER CLOSET</td></tr><tr><td>PROVIDED</td><td colspan="3">1 WATER CLOSET</td></tr><tr><td colspan="4">URINAL</td></tr><tr><td>REQUIRED</td><td colspan="3">1 URINAL</td></tr><tr><td>PROVIDED</td><td colspan="3"></td></tr><tr><td colspan="4">LAVATORIES</td></tr><tr><td>REQUIRED</td><td colspan="3">1 / 750</td></tr><tr><td></td><td colspan="3">32 / 750 = 1 LAVATORY</td></tr><tr><td>PROVIDED</td><td colspan="3">1 LAVATORY</td></tr><tr><td colspan="4">FEMALE = 32 OCCUPANTS</td></tr><tr><td colspan="4">WATER CLOSET</td></tr><tr><td>REQUIRED</td><td colspan="3">1 / 500</td></tr><tr><td></td><td colspan="3">32 / 500 = 1 WATER CLOSET</td></tr><tr><td>PROVIDED</td><td colspan="3">1 WATER CLOSET</td></tr><tr><td colspan="4">LAVATORIES</td></tr><tr><td>REQUIRED</td><td colspan="3">1 / 750</td></tr><tr><td></td><td colspan="3">32 / 750 = 1 LAVATORY</td></tr><tr><td>PROVIDED</td><td colspan="3">1 LAVATORY</td></tr></table>	APPLICABLE CODES				2024	IBC	INTERNATIONAL BUILDING CODE		2024	IFC	INTERNATIONAL FIRE CODE		2023	NEC	NATIONAL ELECTRICAL CODE		2024	IPC	INTERNATIONAL PLUMBING CODE		2024	IMC	INTERNATIONAL MECHANICAL CODE		2024	IFGC	INTERNATIONAL FUEL GAS CODE		2024	IECC	INTERNATIONAL ENERGY CONSERVATION CODE		2024	ANSI A 117.1			THE CODE OF THE CITY OF CHANDLER, ARIZONA				PLUMBING REQUIREMENT				2024 INTERNATIONAL PLUMBING CODE CHAPTER 4 - SECTION 403 MINIMUM PLUMBING FACILITIES TOTAL NUMBER OF OCCUPANTS PER 2024 IBC = 64 OCCUPANTS				DRINKING FOUNTAIN				REQUIRED	1 / 1,000 = 1 DRINKING FOUNTAIN			PROVIDED	1 DRINKING FOUNTAIN			SERVICE SINK				REQUIRED	1 SERVICE SINK			PROVIDED	1 SERVICE SINK AT STORAGE (ROOM 101)			MALE = 32 OCCUPANTS				WATER CLOSET				REQUIRED	1 / 500				32 / 500 = 1 WATER CLOSET			PROVIDED	1 WATER CLOSET			URINAL				REQUIRED	1 URINAL			PROVIDED				LAVATORIES				REQUIRED	1 / 750				32 / 750 = 1 LAVATORY			PROVIDED	1 LAVATORY			FEMALE = 32 OCCUPANTS				WATER CLOSET				REQUIRED	1 / 500				32 / 500 = 1 WATER CLOSET			PROVIDED	1 WATER CLOSET			LAVATORIES				REQUIRED	1 / 750				32 / 750 = 1 LAVATORY			PROVIDED	1 LAVATORY			
CODE ANALYSIS																																																																																																																																																																																																																															
NEW BUILDING																																																																																																																																																																																																																															
CLASSIFICATION TYPE: SECTION 309.1	M - MERCANTILE																																																																																																																																																																																																																														
CONSTRUCTION TYPE: TABLE 504.3	TYPE V-B FULLY SPRINKLERED	STRUCTURE	WOOD FRAMED																																																																																																																																																																																																																												
ALLOWABLE HEIGHT: TABLE 504.3	60'-0"	PROPOSED HGT.	1 STORY - 27'-8"																																																																																																																																																																																																																												
ALLOWABLE AREA: TABLE 506.2	36,000 S.F.	ACTUAL AREA	3,815 S.F.																																																																																																																																																																																																																												
OCCUPANCY TYPE: (NON-SEPARATED)	M: MERCANTILE																																																																																																																																																																																																																														
FIRE SPRINKLER REQ	YES PER NFPA 13																																																																																																																																																																																																																														
FIRE ALARM	YES																																																																																																																																																																																																																														
FIRE EXTINGUISHERS	2A-10B:C PER 3000 SF OF FLOOR AREA. MAX TRAVEL DISTANCE OF 75' TO F.E.																																																																																																																																																																																																																														
PANIC HARDWARE	YES																																																																																																																																																																																																																														
OCCUPANT LOAD																																																																																																																																																																																																																															
2021 INTERNATIONAL BUILDING CODE CHAPTER 10 - MEANS OF EGRESS																																																																																																																																																																																																																															
MERCANTILE	1 / 60																																																																																																																																																																																																																														
	3,815 S.F. / 60																																																																																																																																																																																																																														
TOTAL OCCUPANTS	64 OCCUPANTS																																																																																																																																																																																																																														
APPLICABLE CODES																																																																																																																																																																																																																															
2024	IBC	INTERNATIONAL BUILDING CODE																																																																																																																																																																																																																													
2024	IFC	INTERNATIONAL FIRE CODE																																																																																																																																																																																																																													
2023	NEC	NATIONAL ELECTRICAL CODE																																																																																																																																																																																																																													
2024	IPC	INTERNATIONAL PLUMBING CODE																																																																																																																																																																																																																													
2024	IMC	INTERNATIONAL MECHANICAL CODE																																																																																																																																																																																																																													
2024	IFGC	INTERNATIONAL FUEL GAS CODE																																																																																																																																																																																																																													
2024	IECC	INTERNATIONAL ENERGY CONSERVATION CODE																																																																																																																																																																																																																													
2024	ANSI A 117.1																																																																																																																																																																																																																														
THE CODE OF THE CITY OF CHANDLER, ARIZONA																																																																																																																																																																																																																															
PLUMBING REQUIREMENT																																																																																																																																																																																																																															
2024 INTERNATIONAL PLUMBING CODE CHAPTER 4 - SECTION 403 MINIMUM PLUMBING FACILITIES TOTAL NUMBER OF OCCUPANTS PER 2024 IBC = 64 OCCUPANTS																																																																																																																																																																																																																															
DRINKING FOUNTAIN																																																																																																																																																																																																																															
REQUIRED	1 / 1,000 = 1 DRINKING FOUNTAIN																																																																																																																																																																																																																														
PROVIDED	1 DRINKING FOUNTAIN																																																																																																																																																																																																																														
SERVICE SINK																																																																																																																																																																																																																															
REQUIRED	1 SERVICE SINK																																																																																																																																																																																																																														
PROVIDED	1 SERVICE SINK AT STORAGE (ROOM 101)																																																																																																																																																																																																																														
MALE = 32 OCCUPANTS																																																																																																																																																																																																																															
WATER CLOSET																																																																																																																																																																																																																															
REQUIRED	1 / 500																																																																																																																																																																																																																														
	32 / 500 = 1 WATER CLOSET																																																																																																																																																																																																																														
PROVIDED	1 WATER CLOSET																																																																																																																																																																																																																														
URINAL																																																																																																																																																																																																																															
REQUIRED	1 URINAL																																																																																																																																																																																																																														
PROVIDED																																																																																																																																																																																																																															
LAVATORIES																																																																																																																																																																																																																															
REQUIRED	1 / 750																																																																																																																																																																																																																														
	32 / 750 = 1 LAVATORY																																																																																																																																																																																																																														
PROVIDED	1 LAVATORY																																																																																																																																																																																																																														
FEMALE = 32 OCCUPANTS																																																																																																																																																																																																																															
WATER CLOSET																																																																																																																																																																																																																															
REQUIRED	1 / 500																																																																																																																																																																																																																														
	32 / 500 = 1 WATER CLOSET																																																																																																																																																																																																																														
PROVIDED	1 WATER CLOSET																																																																																																																																																																																																																														
LAVATORIES																																																																																																																																																																																																																															
REQUIRED	1 / 750																																																																																																																																																																																																																														
	32 / 750 = 1 LAVATORY																																																																																																																																																																																																																														
PROVIDED	1 LAVATORY																																																																																																																																																																																																																														
			VICINITY MAP SCALE: N.T.S.	MATTRESS SHOP PAD 5B - SUITE 1 AT PASEO LINDO SHOPPING CENTER NEC OF ARIZONA AVE AND OCOTILLO RD. CHANDLER, AZ NOTICE OF ALTERNATE BILLING ON PAYMENT CYCLE: THE CONTRACT MAY ALLOW THE OWNER TO REQUIRE THE SUBMISSION OF BILLING OR ESTIMATES IN BILLING CYCLES OTHER THAN THIRTY DAYS. THIS CONTRACT MAY ALLOW OWNER TO MAKE PAYMENT ON A 15 DAY BILLING CYCLE. THE OWNER, AFTER CERTIFICATION AND APPROVAL OF BILLING AND ESTIMATES, A WRITTEN DESCRIPTION OF EACH OTHER BILLING CYCLE APPLICABLE TO THE PROJECT IS AVAILABLE FROM OWNER OR DESIGNATED AGENT. NAME: _____ ADDRESS: _____ CONTACT: Name: _____ PHONE: _____ CITY COMMENTS: _____ OWNER COMMENTS: _____ EXPIRES 06/30/2027 COVER SHEET																																																																																																																																																																																																																											